

CLAIMS

1. A method for decreasing the time to display a web page on  
5 a device comprising:  
receiving a first web page to a first memory location of said  
device, said first web page having at least one hyperlink  
that corresponds to a second web page;  
displaying at least a portion of said first web page on said  
10 device from said first memory location on a display of  
said device; and  
downloading in the background said second web page to a second  
memory location of said device.
- 15 2. The method of claim 1, comprising selecting at least one  
hyperlink from said first web page, said at least one  
hyperlink corresponding to said second web page.
3. The method of claim 2 comprising displaying said second  
20 web page on a display of said device from said second  
memory location of said device in response to said at  
least one hyperlink being selected.
4. The method of claim 3 comprising generating a display  
25 acknowledgement in response to displaying said second web  
page.

5. The method of claim 2 comprising selecting said at least one hyperlink by the point and click method.

6. The method of claim 2 comprising selecting said at least one hyperlink by the meta tag method.

7. The method of claim 1 comprising prior to downloading said first web page, predefining a download list of web pages having at least one hyper link and

searching said first web page for said at least one hyper link.

8. The method of claim 7 comprising downloading to said second memory only those web pages of said predefined download list.

9. The method of claim 7 wherein the user predefines said download list.

10. The method of claim 7 wherein said predefined download list contains hyperlinks that have a greatest frequency of hyperlink selection.

11. The method of claim 10 wherein said greatest frequency of hyperlink selection is based on the users hyperlink selection history.

12. The method of claim 10 wherein said greatest frequency of hyperlink selection is based on other users hyperlink selection history.

5 13. The method of claim 1 wherein said device is a wireless communication device.

10 14. The method of claim 3 comprising generating a display acknowledgement message in response to displaying said second web page on a display of said device.

15 15. The method of claim 1 wherein said second web page is a portion of said first web page which is not said at least a portion of said first web page.

20 16. A method for reducing the perceived download time of a web page in a wireless communication device comprising:  
downloading a first web page to a first memory location of said wireless communication device, said first web page having a plurality of hyperlinks corresponding respectively to a plurality of web pages;  
outputting said first web page from said wireless communication device;

25 downloading a plurality of web pages, said web pages corresponding to said plurality of hyperlinks of said first web page, to a second memory location of said

wireless communication device, prior to selection of at least one hyperlink of said plurality of hyperlinks.

17. The method of claim 16, comprising selecting at least one  
5 hyperlink from said plurality of hyperlinks of said first web page.

18. The method of claim 17 comprising displaying a second web  
page, said second web page corresponding to said at least  
10 one hyper link of said first web page.

19. The method of claim 18 comprising prior to the step of  
downloading said plurality of web pages, comparing a said  
plurality of hyperlinks of said first web page to a  
15 predefined download list comprising hyperlinks.

20. The method of claim 18 comprising downloading only said  
web pages that match said predefined download list.

21. A method for downloading a web page to a wireless device  
comprising:

displaying a first web page on said device, said web page  
having at least one hyperlink;

downloading a second web page, said second web page

25 corresponding to said at least one hyperlink of said  
first web page, to a memory location of said device;  
selecting said at least one hyperlink of said first web page.

22. The method of claim 21 outputting said second web page  
from said memory location of said device in response to  
said selecting said at least one hyperlink of said first  
web page.

23. The method of claim 22 wherein said outputting said  
second web page is displaying said web page on a display  
of said device.